



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/045,178	01/11/2002	Noriyuki Kasahara	06666-022002	7589

7590 10/06/2004

SCOTT C. HARRIS  
Fish & Richardson P.C.  
Suite 500  
4350 La Jolla Village Drive  
San Diego, CA 92122

EXAMINER
----------

NGUYEN, DAVE TRONG

ART UNIT	PAPER NUMBER
----------	--------------

1632

DATE MAILED: 10/06/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

**Application No.**

10/045,178

**Applicant(s)**

KASAHARA ET AL.

**Examiner**

Dave T. Nguyen

**Art Unit**

1632

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 19 July 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 41-45, 49-51, 56, 58, 59, 61, 63-75 and 77-82 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration:
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 41-45, 49-51, 56, 58-59, 61, and 63-75, 77-82 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

Claims 60, 74, and 76 have been canceled, claim 41 has been amended by the amendment filed July 13, 2004.

Claim 46 has been withdrawn from further consideration by the examiner, 37 CFR 1.142(b), as being drawn to a non-elected claimed invention. Note also that claim 46 is an improper dependent claim because the base claim recites that the retroviruses are in contact with a subject, however, an *ex vivo* administration of retroviruses containing cells are not the same as an administration of retroviruses so as to contact a subject.

A complete response to the final rejection must include cancellation of non-elected claims or other appropriate action (37 CFR 1.144) MPEP 821.01.

The specification is also objected because the status of the parent applications in the cross-reference information, which appears in the first paragraph of the specification, must be updated so as to reflect their respective current statuses.

Claims 41-45, 49-51, 56, 58-59, 61, and 63-75, 77-82 are pending for examination.

### ***Claim Rejections - 35 USC § 112***

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 41-45, 49-51, 56, 58-59, 61, and 63-75, 77-82 are rejected under 35

U.S.C. 112, first paragraph, because the specification, while being enabling for:

A method for inhibiting uncontrolled proliferation of neoplastic cells in a subject, the method comprising administering at the neoplastic cells any of the claimed retroviral vector as claimed in each of the presently pending base claim, and administering to said subject a prodrug which is activated by the expression of a suicide gene, with the provision that the claimed heterologous nucleic acid encodes the suicide gene.

The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the invention commensurate in scope with these claims.

The claimed subject matter is directed gene therapy treatment of a cell proliferative disorder by employing a generic replication competent retrovirus, wherein a tissue specific promoter is placed with the LTR sequences at the 5' or 3' or 5' and 3' end of the oncoretroviral polynucleotide sequence as claimed. When read in light of the specification, the breadth of the claimed retroviruses clearly embraces any known retrovirus including those of foamy viruses such as HFV, lentiviruses such as HIV-1, HIV-2 and SIV, MPMV viruses and MoMLV viruses. The cell proliferative disorders are not delimited in any way by the specification, and in fact embraces neuronal disorders such as Alzheimer's disease, Parkinson's disease (lack or deficiency of cells within a

Art Unit: 1632

tissue) disorders associated with an overgrowth of connective tissues, such as various fibrotic conditions, including scleroderma, arthritis, and liver cirrhosis, and neoplastic disorders.

As such, the as-filed specification attempt to claim that the disclosed replication competent retrovirus, as listed above, wherein a suicide gene is contained, can be employed as a master drug to treat any cell proliferative disorder.

The as-filed specification appears to assert, on the basis of US Pat NOs 4,405,712, 4,650,764, and Friedmann, 1989, Science, Mulligann, 1993, Science, Crystal, 1995, Science 270, 404-410, Morgan, 1993, BioPharm, and Theodore Freidmann, that numerous gene therapy methods , that take advantage of retroviral vectors, for treating a wide variety of diseases are well-known in the art.

However, a close review of these supporting documents does not appear to support the application's assertion. In fact, these references do teach that while the state of the art of gene transfer for transient gene expression wherein a retrovirus vector is considered routine at the time the invention was made, and that numerous safety studies have been conducted in most if not all of the clinical trials, gene therapy is not considered a routine experimentation at the time the invention was made and even now.

More specifically, the state of the prior art exemplified by Anderson (Nature, Vol. 392, 25-30, April 1998) teaches that gene therapy is a powerful new technology that still requires several years before it will make a noticeable impact on the treatment of disease, and that several major deficiencies still exist including poor delivery systems, both viral and non-viral, and poor gene expression after genes are delivered (page 30,

Art Unit: 1632

column 1, last paragraph), and that results in one particular animal model have not always reflected what happens in another animal model (page 28, column 1, first paragraph). Anderson further teaches that the reason for the low efficiency of gene transfer and expression in human patients is that we still lack a basis understanding of how vectors should be constructed, what regulatory sequences are appropriated for which cell types.

With respect to the current usages of retroviral vectors (replication defective) in many studies including those of clinical trial, Anderson teaches on page 26 bridging page 27:

On of the major concerns with the retroviral vectors is the possibility that a replication-competent retrovirus (RCR) could arise during the manufacturing process...Furthermore, as every mammalian cell contains endogenous retroviruses, additional viral sequences could be incorporated in the RCR, perhaps producing a pathogenic virus.

However, the as-filed specification appears not only to be concerned with the issue of RCR, but also to promote gene therapy method of using replication competent retroviruses, which is the main thrust of the claimed invention. Notwithstanding the issues of transient gene expression, poor delivery system, and the lack of a reasonable nexus between one animal model and another such as human patients (as explicitly claimed herein), the as-filed specification appears to rely mainly on the use of a tissue specific promoter to control the replication processes of the retroviruses.

However, the state of the art with respect to the use of a tissue specific promoter controlled gene therapy vectors remains an experimental stage at best. For example,

Russell (European Journal of Cancer, Vol. 30A, 8:1165-1171, August 1994)

states that "cell-specific utilisation of the albumin (liver specific) and immunoglobulin (B-

cell specific) promoters has been demonstrated within non-replicating adenovirus

genomes but cell specificity was partially lost after replication of the viral DNA", and that

the stoichiometry and kinetic of gene regulation by cellular transcription factors must be

known for engineering the promoters of replicating vectors for tissue-specific,

transformation-dependent expression (p. 1168, column 2). In addition, Miller *et al.*

(Human Gene Therapy, Vol. 8, pp. 803-815, 1997) teaches (page 807, column 1) that

problems with vectors for tissue specific replication include:

- "Interference of vector sequences with regulatory sequences, particularly where the vector is derived from a virus";
- "Interference from sequences after vector integration, *i.e.*, positional effects";
- "Non specific effects on host transcription".

More specifically, Miller *et al.* states:

"It was found that PKA activators such as aminophylline enhanced expression of cytokine genes driven by the tyrosinase promoter in melanoma but not fibroblast cell lines (Miller *et al.*, 1995). Unfortunately, this effect could not be duplicated *in vivo* (possibly the activity of the tyrosinase promoter differs between a three-dimensional tumor mass *in vivo* and a two-dimensional monolayer *in vitro*".



Art Unit: 1632

In addition, Vile *et al.* (Molecular Medicine Today, Vol. 4, 2:84-92, 1998, p. 90, column 1) teach that "the relevant locus control regions/enhancer/silencer/promoter sequences that control expression can be distributed over many kbp and within chromatin domains that are difficult to reproduce within the context of the vector systems", and that "the combinations of these elements in certain configurations of these elements in certain configurations might be successful in the context of one vector (such as plasmid DNA), but their specificity might be altered or lost in a different context (such as retrovirus or adenovirus)".

Even if assuming for argument, that a tissue specific promoter driven retroviral vector was able to be targeted to a desire tissue, transient gene expression which is not correlative to a therapeutic effect remains an important issues that needs to be resolved. Furthermore, Anderson teaches on page 27, column 1:

Another potential problem results from the ability of retroviral vectors to integrate randomly into host cell DNA. For example, a vector might insert itself into a tumour suppressor gene, thereby increasing the propensity of the cell to become cancerous. The only example of unintentional tumour production in a retroviral gene transfer experiment in large animals was published in 1992; three cases of lymphoma were reported among ten rhesus monkeys whose bone marrow had been destroyed by irradiation and who were then transplanted with haematopoietic stems cells that had been exposed to a large number of RCR as well as the experimental vector.

Anderson further teaches:



Art Unit: 1632

- "Except for anecdotal reports of individuals patients being helped, there is still no conclusive evidence that a gene therapy protocol has been successful in the treatment of a human disease" (page 25, column 1, first paragraph);
- "The viral particles [retroviral particles] would bind to many cells they encounter and, therefore, would be diluted out before reaching their target" (page 25, column 2, second paragraph).

Applicant's claims encompass the use of a generic RCR vector, an enormous number of cell proliferative disease sites, and routes of administration other than direct administration. Clearly, the Anderson reference alone does indicate that even short-term gene expression or transient gene expression is not equivalent to a therapeutically relevant effect, and that routes of administration and/or types of vectors used as carrier for therapeutic DNA are crucial for a successful treatment effect.

To further support the complexities and the unpredictable nature of therapeutic applications of gene therapy vectors, and to further support the presence of gene therapy clinical trials is not the same as an indicia of the a reasonable predictability of gene therapy, Romano (Stem Cells, 2000: 18, 19-39) teaches:

Over the last decade, more than 300 phase I and phase II gene-based clinical trials have been conducted worldwide for the treatment of cancer and monogenic disorders....The aim of these clinical trials was mainly to assess the degree of toxicity of the various gene delivery systems and the constructs employed in the study. The possible therapeutic efficacy of the clinical trials was only a secondary issue, which in many cases could not even be determined because of the preliminary nature of the study design (page 19, column 1 bridging column 2).

More specifically to the issue of the use of tissue specific retroviral vectors in gene therapy application, Romano teaches on page 26 bridging page 27:

Overall, the *in vivo* administration of retroviral vectors poses a number of additional safety concerns and technical limitations if compared to the *ex vivo* gene transfer models. To pursue the goal of safe and efficient *in vivo* retroviral transduction,

Art Unit: 1632

it is necessary to generate tissue or cell specific retroviral vectors, which can integrate safe cell chromosomal sites. The latter issue has never been tackled, whereas the engineering of ecotropic-based retroviral vectors with altered cell tropism has attracted much attention, but all the attempts had little success. The chimeric retroviral particles that have been produced have a low transduction capacity, or even fail the gene transfer process.

More specifically as to cancer gene therapy, Mastrangelo *et al.* teach that "to date the major successes with gene therapy for cancer have been limited to *in vitro* systems where tumor cells with well defined genetic defects are easily targeted" (page 13, column 2, first paragraph). Meng *et al.* (Gene Therapy of Cancer, Chapter I, pp. 3-20, 1999) teach that factors including specific genes used for a treatment, gene delivery vectors, routes of administration, and gene expression are all critical for the success of a gene therapy method (pages 4-6). For example, Meng *et al.* teach that "it is difficult to prepare sufficiently high titers of retroviruses for *in vivo* gene therapy", and that "although it may seem intuitive that a heightened immune response may be good in cancer gene therapy, it is less desirable on a practical scale because the immune response helps to eliminate the vector and to decrease the expression of the transduced gene" (p. 4, column 2, last paragraph). Meng *et al.* further teach that "although animal studies have suggested low toxicity and excellent efficacy, these investigations have been limited by the use of immuno-deficient mice" (p. 6, column 1).

With respect to administration routes, Meng *et al.* teach that other than intratumor injection, delivery of virally expressed genes by intravascular or intracavitary injections

Art Unit: 1632

also presents barriers to the delivery of the target genes (p. 6, column 1). For example, Meng *et al.* state:

"In intravascular administration, instillation into a peripheral vein dilutes the vehicle, so only a small portion may ultimately reach the tumor. Intravascular administration also elicits a powerful immune response. Tropism for organs such as the liver, for example by adenovirus, can be a disadvantage if delivery is intended elsewhere or may be advantageous if the liver is the target. Even with regional intravascular administration, the virus must traverse the endothelial wall and travel against pressures within an expanding tumor mass. In the case of intracavitary administration (i.e., intrapleural or intraperitoneal), the surface of the tumor mass is coated by virus, but intratumoral delivery within a solid mass represents an important barrier" (page 6, column 1).

With respect to claimed embodiments, drawn to non-neoplastic cell proliferative disorders, *e.g.*, gene therapy for inherited neurological diseases, Martin (TIBTECH, 1995) teaches (p. 29, column 2) that "it is apparent that the development of a therapeutic strategy for inherited neurological diseases will require a spectrum of approaches, and it is unlikely that gene replacement will emerge as a successful treatment in the near future for disorders that affect mature neurons in the CNS [central nervous system]", and that "the difficulties that are inherent in transferring genes to postmitotic, nonregenerative cells in the CNS are all too clear". Martin further concludes on page 35 that "it is apparent that approaches to the treatment of neurological disorders using the new techniques of molecular biology, to date, promised more than they have delivered", and that "the problems of delivery of genes via vectors to postmitotic neurons will remain a serious limitation in gene therapy". Regarding the unpredictability of gene delivery routes and target sites using gene therapy for disorders affecting the central nervous system (CNS), Zlokovic *et al.* state that "a major obstacle to gene therapy for disorders affecting the CNS, either locally or globally, is the delivery of genetic material to the brain because of the presence of the continuous tight-junctioned cerebral capillary endothelium comprising the BBB [blood brain barrier]" (p. 807 bridging p. 808), and that "unless there is a specialized transport system that requires interaction with a specialized transporter and/or receptor at the BBB, large biological particles, including genetic vectors, are normally rejected by the BBB" (p. 809, column 1).

Art Unit: 1632

Zlokovic *et al.* further concludes on page 811, column 1, that technical issues for the success of gene therapy in the treatment of CNS including 1) transfection efficiency; 2) delivery of genetic material across vascular barriers of the CNS and brain tumors; and 3) control of expression of the transgene only in target CNS cells remain a challenge at the time the invention was made.

With respect to claims, drawn to the use of a suicide gene, wherein the claims do not recite necessarily an administration of a prodrug, which is then activated by the expression of the suicide gene, it is not apparent how a skilled artisan could use a RCR encoding a suicide gene alone, particularly in view of numerous problems associated with RCR and its transient gene expression, as expressly indicated above. The expressed suicide gene product does not destroy or kill the neoplastic cells, but rather the killing is done by the activation of an administered prodrug (see Gruber, US Pat No. 5,888,502, for example).

In view of the reasons set forth above and of numerous issues, as indicated above, which need to be overcome in order to achieve the broadly claimed objective of the claimed subject matter, a skilled artisan would reasonably conclude that the state of the art of gene therapy of employing tissue specific replication competent retroviruses for treating any cell proliferative disorder, remains reasonably unpredictable at the time of filing. As such, and given the breadth of the claimed invention, and the complexities associated with the breadth and nature of the claimed invention, one skilled in the art would have to turn to the specification for guidance. However, as indicated above, and even assuming that the level of one skilled in the art is relatively high in the prior art, the guidance provided by the specification is not sufficient to overcome the doubts and obstacles expressed in the art of record. As such, the only issue left is the working examples provided by the specification.

Example 1 provides *in vitro* results showing a reporter gene expression in cultured cells, Example 2 provides a protocol wherein a reporter gene encoded retrovirus is intratumorally injected in nu/nu/ BALB/c mice, however, no statistical results can be used to correlate to an anti-cancer effect.

Art Unit: 1632

Example 3 provides a protocol for a creation of RCR vector producing cell line.

No data showing any therapeutically relevant effect in the treatment of a cell proliferative disorder are present.

Examples 4-6 provides a prophetic protocol for testing tissue specificity of a marker gene encoded RCR. No results are shown. No data showing any therapeutically relevant effect in the treatment of a cell proliferative disorder are present.

Example 7 shows that a RCR having a probasin promoter being incorporated into the retrovirus LTR was able to drive expression of a reporter gene in cultured cells. No data showing any therapeutically relevant effect in the treatment of a cell proliferative disorder are present.

Example 8 provides a prophetic protocol in an attempt to show transduction of prostate tumors in a transgenic mouse model. No data showing any therapeutically relevant effect in the treatment of a cell proliferative disorder are present.

Example 9 shows expression of a reporter gene in breast cancer cells after an intratumoral injection of an MoMLV RCR encoding a GFP gene. No data showing any therapeutically relevant effect in the treatment of a cell proliferative disorder are present.

Example 10 provides protocols for utilizing IRES sequences in RCR, and shows that the RCR was able to transduce cultured cell. No data showing any therapeutically relevant effect in the treatment of a cell proliferative disorder are present.

Art Unit: 1632

Example 11 provides a prophetic protocol showing how to make RCR vectors targeted to breast tumor cells using two types of modification to the Envelope protein. However, no data showing any therapeutically relevant effect in the treatment of a cell proliferative disorder are present.

Therefore, the as-filed application including its working examples, at best, only provide sufficient guidance so as to enable a skilled artisan to reasonably extrapolate to

A method for inhibiting uncontrolled proliferation of neoplastic cells in a subject, the method comprising administering at the neoplastic cells any of the claimed retroviral vector as claimed in each of the presently pending base claim, and administering to said subject a prodrug which is activated by the expression of a suicide gene, with the provision that the claimed heterologous nucleic acid encodes the suicide gene.

Thus, given that the level of *in vivo* gene expression at an intended target site is crucial for generating a therapeutically relevant effect, the Office actions as a whole coupled with the unpredictability of gene therapy as expressed in the art of record, the nature of the invention, the breadth of the claims, the lack of reasonable correlation between Applicant's disclosure and the subject matter being sought in the claims, the lack of evidences to support the full scope of the claims, and the relevant skill level of those skilled in the art, clearly provide evidences to support a reasonable enablement of the intended scope of the presently pending claims.

It is therefore concluded that in light of the quantity of experimentation necessary, the lack of adequate direction or guidance presented, the lack of appropriate working



Art Unit: 1632

examples, the nature of the invention, the state of the prior art with its recognized unpredictability, and the breadth of the claims, it would require undue experimentation for one skilled in the art to practice the full scope of the claimed invention.

Applicant's response (pages 15-25) together with the Kasahara Declaration has been considered fully by the examiner but is not found persuasive because of the reasons as set forth in the above stated rejection.

More specifically, applicant assert that the Anderson reference is taken out of context, since a large number of clinical trials have been ongoing, and that therapeutic genes can be routinely transferred. The examiner maintains that the issue is not that the office doubts that *in vivo* gene transfer so as to lead to a simple gene expression cannot be achieved. The issue is whether or not a retroviral vector encoding a suicide gene can be used by a large number of route administrations as a therapeutic to treat a broad scope of proliferative disorders or diseases. The issue is also rather that on the basis of the reasoning as set forth by the art of record as a whole, not necessarily just by Anderson *per se*, a reasonable skilled artisan would not have found that a sufficient disclosure has been provided by the as-filed application so as to reasonably enable the full scope of the claimed invention. Applicant appears to assert on page 17 that the art in 1997 is simply directed to "limitations" rather than "unpredictability". The response at best is inaccurate and does not address the specific reasoning as set forth in the art of record, which clearly provide sufficient doubts as to a reasonable predictability in carrying out the claimed invention as broadly claimed. Applicant's assertions on pages 18-19 have been considered but are not found persuasive because of the specific



Art Unit: 1632

reasoning as set forth in the above stated rejection. The assertions are simple conclusions without any evidential support, and thus, are not sufficient to overcome the specific reasoning and doubts and issues as set forth by the art of record. The Kasahara Declaration has been considered fully to the extent that a tumor treatment of glioblastoma is disclosed with sufficient evidence to demonstrate the make and use of the claimed invention for tumor treatment wherein a direct administration of a claimed retroviral particle to the tumor is employed. Such scope is not denied by the office and in fact embraced by the office. However, the breadth of the claims does not reflect that as shown in either the specification or the declaration. As such, applicant's response on pages 20-22 is not relevant to the remaining issues of record. The citation of Crystal has been considered (page 22) fully by the examiner but the "potential usefulness" and "continues to be compelling" (1995) does not provide any evidential support to show that the specific issues such as the breadth of proliferative diseases, routes of administrations, and/or the requirement of the presence of a prodrug have been overcome by evidential support for the make and use of the claimed invention at the time the invention was made.

Applicant's distinction between "replication competent" and "non-replication competent" retroviral vectors is noted, however, the issue remains the same, applicant is not the first to discover the concept of making replication competent viral vectors. The make and use replication competent vectors as simple gene transfer vectors are well-known at the time the invention was made. However, the art of record has reviewed the availability of non-viral and viral expression vectors at the time the

Art Unit: 1632

invention was made, and has found that routes of administration, gene expression at target sites, and the types of diseases remain complex and reasonably unpredictable at the time the invention was made. For example, Romano (Stem Cells, 2000: 18, 19-39) teaches:

Over the last decade, more than 300 phase I and phase II gene-based clinical trials have been conducted worldwide for the treatment of cancer and monogenic disorders....The aim of these clinical trials was mainly to assess the degree of toxicity of the various gene delivery systems and the constructs employed in the study. The possible therapeutic efficacy of the clinical trials was only a secondary issue, which in many cases could not even be determined because of the preliminary nature of the study design (page 19, column 1 bridging column 2).

More specifically to the issue of the use of tissue specific retroviral vectors in gene therapy application, Romano teaches on page 26 bridging page 27:

Overall, the *in vivo* administration of retroviral vectors poses a number of additional safety concerns and technical limitations if compared to the *ex vivo* gene transfer models. To pursue the goal of safe and efficient *in vivo* retroviral transduction, it is necessary to generate tissue or cell specific retroviral vectors, which can integrate safe cell chromosomal sites. The latter issue has never been tackled, whereas the engineering of ecotropic-based retroviral vectors with altered cell tropism has attracted much attention, but all the attempts had little success. The chimeric retroviral particles that have been produced have a low transduction capacity, or even fail the gene transfer process.

Art Unit: 1632

A skilled artisan, who is aware of the shortcomings and the doubts expressed by the art of record as a whole with respect to gene therapy protocols applied broadly to a number of diseases such as proliferative diseases, would not have readily accepts that applicant's assertion together with the data provided by the Declaration are sufficient to reasonably enable the full breadth of the claimed invention, wherein a large number of proliferative diseases other than neoplasm are contemplated, wherein a prodrug is not even required for use in the claimed methods, and wherein route of administrations other than direct administration are embraced by the claimed invention. Given the fact that the above stated rejection is a scope rejection wherein the office has found that applicant is reasonably enabling for direct administration of the retroviral vectors as claimed to a tumor wherein a prodrug is employed so as to inhibit the growth of the tumor, applicant's assertion (pages 24-25) of MPEP 608.01(p) are also not found persuasive.

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A SHORTENED STATUTORY PERIOD FOR RESPONSE TO THIS FINAL ACTION IS SET TO EXPIRE **THREE MONTHS** FROM THE DATE OF THIS ACTION. IN THE EVENT A FIRST RESPONSE IS FILED WITHIN TWO MONTHS OF THE MAILING DATE OF THIS FINAL ACTION AND THE ADVISORY ACTION IS NOT MAILED UNTIL AFTER THE END OF THE THREE-MONTH SHORTENED STATUTORY PERIOD, THEN THE SHORTENED STATUTORY PERIOD WILL EXPIRE ON THE DATE THE ADVISORY ACTION IS MAILED, AND ANY EXTENSION FEE PURSUANT TO 37 C.F.R. 1.136(a) WILL BE CALCULATED FROM THE MAILING DATE OF THE ADVISORY ACTION. IN NO EVENT WILL THE STATUORY PERIOD FOR RESPONSE EXPIRE LATER THAN **SIX MONTHS** FROM THE DATE OF THIS FINAL ACTION.

Application/Control Number: 10/045,178

Page 18

Art Unit: 1632


Any inquiry concerning this communication or earlier communications from the examiner should be directed to examiner *Dave Nguyen* whose telephone number is **571-272-0731**.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, *Amy Nelson*, may be reached at **571-272-0804**.

Papers related to this application may be submitted to Group 1600 by facsimile transmission. Papers should be faxed to Group 1600 via the PTO Fax Center number, which is **703-872-9306**.

Any inquiry of a general nature or relating to the status of this application should be directed to the *Group receptionist* whose telephone number is **(703) 308-0196**.

Dave Nguyen  
Primary Examiner  
Art Unit: 1632



DAVE T. NGUYEN  
PRIMARY EXAMINER

TC1600

Organization REMISEN  
Bldg./Room

U. S. DEPARTMENT OF COMMERCE  
PATENT AND TRADEMARK OFFICE  
WASHINGTON, DC 20231  
IF UNDELIVERABLE RETURN IN TEN DAYS


OFFICIAL BUSINESS

AN EQUAL OPPORTUNITY EMPLOYER

OFFICIAL MAIL  
FOR PRIVATE USE ONLY  
PS METEN  
7251370 U.S. POSTAGE  
\$1.22

FISH350 921222529 1A03 43 10/13/04  
FORWARD TIME EXF RTN TO SEND  
: FISH & RICHARDSON PC  
12390 EL CAMINO REAL  
SAN DIEGO CA 92130-2081

RETURN TO SENDER



RECEIVED

OCT 20 2004

TECH CENTER 1600/2900